



# ETCH

wall and ceiling panels





# HOW TO SPECIFY

Etch wall and ceiling panels bring an elegant fusion of texture and sophistication, elevating the aesthetic appeal of any space with intricate detailing.

### Absorption

Standard: .85 - 1.3 NRC  
(subject to mounting conditions)

### Fire Rating

ASTM E84 Class A

### Warranty

Two (2) Years

### VOC

ASTM D5116 Compliant

### Material


100% PET acoustic felt

### Maintenance

Vacuum clean to remove dust and debris




## 01 SPECS



Tell us about your space, the design, and dimensions.


## 03 COLORS



Standards. Woodgrains. Customs. What's your color? (Visit [mpsacoustics.com/colors](https://mpsacoustics.com/colors) to see all color options)


Pantone options, full-color prints, and unique gradients with SHADES by MPS.

## 02 BAFFLE SIZING



What size panels does your project call for?

## 04 MAKE IT YOUR OWN!



Specify our standard etch panels or spec your own pattern.


Our standard Etch dimensions are 42"x81" with 3/8" felt thickness.



# PRODUCT SPECIFICATIONS

## STANDARD DIMENSIONS

Single Panel	42"W x 81"H
Felt Thickness	3/8"



## CUSTOMIZABLE CONFIGURATION

Customize your Etch panels according to your wall or ceiling specs and desired pattern.

Get Etch in 24"x24" or 24"x48" sized drop-in tiles for T-grid ceiling.

