



MUR



PATENT PENDING



MINIMALIST DESIGN MEETS ACOUSTIC PERFORMANCE

Mur wall-mounted 2-color, double thickness acoustic panels reflect the energy and design of the workspace while removing echo and noise, beautifully.

Available in 20 colors and two standard dimensions:

- 36"Hx24"L
- 92"Hx46"L
- Custom sizes available.


PRODUCT SPECIFICATIONS

- Choose from 20 available colors
- Designs that will enhance your workspace
- Make your office look good
- Improve the acoustic enhancement
- Easy to install





















Custom design and configuration options



Acoustic panel detail



DESIGNS

			
Archer	Cove	DNA	Dots
			
El Rey	Flight	Float	Flock
			
Formal	Key	Link	Lumin II
			
Matrix	Pinwheel	Rainfall	Roseau
			
Sqwee	Flare	Gruv	Tartan



Mur comes in 20 standard colors.



TECHNICAL SPECIFICATIONS

Absorption

Average NRC 0.85.

(subject to thickness and mounting conditions)

Material

100% polyester fiber acoustic felt.

Eco-Friendly

Yes! 60% recycled PET materials, 40% new material, non-toxic, non-allergenic, non-irritant, no coatings or sprays which degrade over time.

Fire Rating

ASTM E84 Class A Fire Spread rating is permanently achieved by infusing 40% new material into the panel. MPS never uses sprays or coatings that degrade and lose their rating status.

INSTALLATION

