



MUR



PATENT PENDING



MINIMALIST DESIGN MEETS ACOUSTIC PERFORMANCE

Mur wall-mounted 2-color, double thickness acoustic panels reflect the energy and design of the workspace while removing echo and noise, beautifully.

Available in 20 standard colors as well as standard and custom dimensions.

Standard dimensions:

- 36"Hx24"L
- 92"Hx46"L

PRODUCT SPECIFICATIONS

- Choose from 20 standard colors
- Designs that will enhance your workspace
- Make your office look good
- Improve the acoustic enhancement
- Easy to install


Custom design and configuration options



Acoustic panel detail



INSTALLATION



27 STANDARD PATTERNS

Customs available at no extra charge
because nobody likes fees!




BANDE




BEADED




CRISTYL




DNA



DOTS



FLOAT



FLOCK



INKA I



INKA II



INKA III



JEAN



KYTE



LLAVA I



LLAVA II



LLAVA III



LUMIN II



MATRIX



MAZON I



MAZON II



MAZON III



PROFYL




RAINFALL



ROSEAU



SANTA FE



SEQUENCE



TANGRAM



ABCEED



MPS offers a range of standard colors, plus any Pantone color, and custom color matching.



Go ahead, design in full color.
Any shade you want.

SHADES by



TECHNICAL SPECIFICATIONS

Absorption

Average NRC 0.85.
(subject to thickness and mounting conditions)

Material

100% polyester fiber acoustic felt.

Eco-Friendly

Yes! 60% recycled PET materials, 40% new material, non-toxic, non-allergenic, non-irritant, no coatings or sprays which degrade over time.

Fire Rating

ASTM E84 Class A Fire Spread rating is permanently achieved by infusing 40% new material into the panel. MPS never uses sprays or coatings that degrade and lose their rating status.

Sustainability

