



# GRADI

ceiling grid tiles






# HOW TO SPECIFY


Gradi acoustic tiles serve as a design-forward and functional solution to traditional ceiling tiles. Each boxed tile adds definition and a 3-dimensional geometric element to traditional t-grid ceiling systems.

## 01 SPECS




Tell us about your space, the design, and dimensions.

## 02 TILE SIZING & MOUNTING




What size tiles does your project call for? Drop-in tiles or magnets? Compatible with 15/16" t-grid ceiling.

## 03 COLORS



Standard. Woodgrains. Customs. What's your color? (See page 5)

## 04 MAKE IT YOUR OWN!



Specify our standard tiles or spec your own dimensions, layout, and even texture!

## SHADES by MPS™



Spec your own color, gradient, or woodgrain. (See page 5)



# PRODUCT SPECIFICATIONS


## STANDARD DIMENSIONS

Single Tile 24"L x 24"W

Depth Range 2", 4", 6", 8"



\*Note: exact tile dimensions are customizable based on t-grid specs.

\*Compatible with 15/16" t-grid.



\*Example configuration


## ELEVATION



\*Upward view of tiles showing taper across different depths



# TECHNICAL SPECIFICATIONS



## Absorption

Standard: .85 - 1.30 NRC  
(subject to thickness and mounting conditions)

## Fire Rating

ASTM E84 Class A

## Warranty

Two (2) Years

## VOC

ASTM D5116 Compliant

## Material

PET Felt: 100% polyester fiber

## Maintenance

Vacuum clean to remove dust and debris

## Sustainability

**Declare.**

**MPS 9mm Acoustic Panels**  
**MPS LLC**

**Final Assembly:** Trenton, Texas, USA  
**Life Expectancy:** 50 Year(s)  
**End of Life Options:** Salvageable/Reusable in its Entirety, Take Back Program (Trenton, TX), Recyclable (100%)

**Ingredients:**

**MPS 9mm PET:** Polyethylene Terephthalate

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**

<input checked="" type="checkbox"/> LBC Red List Free	% Disclosed: 100% at 100ppm
<input type="checkbox"/> LBC Red List Approved	VOC Content: Not Applicable
<input type="checkbox"/> Declared	

**I-10 Interior Performance:** CDPH Standard Method v1.2-2017  
**I-14 Responsible Sourcing:** Not Applicable

MPS-0001  
EXP. 01 NOV 2025  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](http://living-future.org/declare)





# COLORS & WOODGRAINS

MPS offers a range of standard colors, woodgrains, and custom colors with SHADES.


## STANDARD COLORS



## WOODGRAINS



## SHADES by MPS



Your design world revolves around color, so don't be limited by standard colors and outdated palettes. SHADES offers Pantone options, full-color prints, and unique gradients. Flat or Heathered? Your choice.

\*Some limitations apply. Consult your MPS acoustics expert to discuss your project.




## MOUNTING OPTIONS

### DROP-IN TILES ON 15/16" T-GRID

Each Gradi tile nests in from above, and the minimal perimeter lip sits on the t-grid to securely hold the tiles in place

Note: The 15/16" t-grid is visible with this application.



### MAGNET TILES ON 15/16" T-GRID

Screw-in magnets on the perimeter strips connect the Gradi tile to the ceiling t-grid.

Note: The 15/16" t-grid is NOT visible with this application.

