



GRADI

ceiling grid tiles






HOW TO SPECIFY


Gradi acoustic tiles serve as a design-forward and functional solution to traditional ceiling tiles. Each boxed tile adds definition and a 3-dimensional geometric element to traditional t-grid ceiling systems.

01 SPECS




Tell us about your space, the design, and dimensions.

02 TILE SIZING & MOUNTING




What size tiles does your project call for? Drop-in tiles or magnets? Compatible with 15/16" t-grid ceiling.

03 COLORS



Standard. Woodgrains. Customs. What's your color? (See page 5)

04 MAKE IT YOUR OWN!



Specify our standard tiles or spec your own dimensions, layout, and even texture!

SHADES by MPS™



Spec your own color, gradient, or woodgrain. (See page 5)



PRODUCT SPECIFICATIONS


STANDARD DIMENSIONS

Single Tile 24"L x 24"W

Depth Range 2", 4", 6", 8"



*Note: exact tile dimensions are customizable based on t-grid specs.

*Compatible with 15/16" t-grid.



*Example configuration


ELEVATION



*Upward view of tiles showing taper across different depths



TECHNICAL SPECIFICATIONS



Absorption

Standard: .85 - 1.30 NRC
(subject to thickness and mounting conditions)

Fire Rating

ASTM E84 Class A

Warranty

Two (2) Years

VOC

ASTM D5116 Compliant

Material

PET Felt: 100% polyester fiber

Maintenance

Vacuum clean to remove dust and debris

Sustainability

Declare.

MPS 9mm Acoustic Panels
MPS LLC

Final Assembly: Trenton, Texas, USA
Life Expectancy: 50 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Trenton, TX), Recyclable (100%)

Ingredients:

MPS 9mm PET: Polyethylene Terephthalate

Living Building Challenge Criteria: Compliant

I-13 Red List:

<input checked="" type="checkbox"/> LBC Red List Free	% Disclosed: 100% at 100ppm
<input type="checkbox"/> LBC Red List Approved	VOC Content: Not Applicable
<input type="checkbox"/> Declared	

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Not Applicable

MPS-0001
EXP. 01 NOV 2025
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare





COLORS & WOODGRAINS

MPS offers a range of standard colors, woodgrains, and custom colors with SHADES.


STANDARD COLORS



WOODGRAINS



SHADES by MPS



Your design world revolves around color, so don't be limited by standard colors and outdated palettes. SHADES offers Pantone options, full-color prints, and unique gradients. Flat or Heathered? Your choice.

*Some limitations apply. Consult your MPS acoustics expert to discuss your project.




MOUNTING OPTIONS

DROP-IN TILES ON 15/16" T-GRID

Each Gradi tile nests in from above, and the minimal perimeter lip sits on the t-grid to securely hold the tiles in place

Note: The 15/16" t-grid is visible with this application.



MAGNET TILES ON 15/16" T-GRID

Screw-in magnets on the perimeter strips connect the Gradi tile to the ceiling t-grid.

Note: The 15/16" t-grid is NOT visible with this application.

