



ARETE

felt wall






# HOW TO SPECIFY


Arete brings texture and dimension to your space. The precise nature of each ridge adds contrast, revealing confidence and an innovative spirit, while also reducing unwanted noise and echo within the workspace.

## 01 SPECS



Tell us about your space, the design, and dimensions.

## 02 SLAT OPTIONS




What slat size and shape does your design call for? Arete is offered in four unique finishes.

## 03 COLORS



Standard. Woodgrains. Customs.  
What's your color? (See page 7)

## 04 MAKE IT YOUR OWN!



Spec your own slat size and orientation.  
Add end caps and/or ledge pieces. (See page 5)

## SHADES by MPS



Even more color options with  
SHADES by MPS. (See page 7)




# PRODUCT SPECIFICATIONS

## STANDARD DIMENSIONS

Single Panel            23"W x 119"H

Felt Thickness        2"




\*Customize width using 23" standard panels




# PRODUCT SPECIFICATIONS

## SLAT OPTIONS


Arete comes in four standard slat sizes and shapes.




STANDARD



DEEP



LARGE



EPIC



# PRODUCT SPECIFICATIONS

## CONNECTION


Screws concealed by slats.

## ADDITIONAL OPTIONS


End Caps: Finished mitered end caps to conceal stand-offs.

Ledge Pieces: Mitered back panel folded return edge to conceal stand-offs.


## ACOUSTIC ENHANCERS



## END CAPS




## LEDGE PIECES





# TECHNICAL SPECIFICATIONS



## Absorption

Standard: .85 NRC

(subject to mounting conditions)

## Fire Rating

ASTM E84 Class A

## Warranty

Two (2) Years

## VOC

ASTM D5116 Compliant

## Material

100% PET acoustic felt

## Maintenance

Vacuum clean to remove dust and debris

## Sustainability

**Declare.**

**MPS 9mm Acoustic Panels**  
MPS LLC

**Final Assembly:** Plano, Texas, USA  
**Life Expectancy:** 50 Year(s)  
**End of Life Options:** Salvageable/Reusable in its Entirety, Take Back Program (Plano, TX), Recyclable (100%)

**Ingredients:**  
Polyethylene Terephthalate

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
 LBC Red List Free      % Disclosed: 100% at 100ppm  
 LBC Red List Approved      VOC Content: Not Applicable  
 Declared

**I-10 Interior Performance:** CDPH Standard Method v1 2-2017  
**I-14 Responsible Sourcing:** Not Applicable

MPS-0001  
EXP. 01 NOV 2026  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](http://living-future.org/declare)





# COLORS & WOODGRAINS

MPS offers a range of standard ombrés, colors, woodgrains, and custom colors with SHADES.

## STANDARD OMBRÉS



## STANDARD COLORS



## SHADES by MPS

Your design world revolves around color, so don't be limited by standard colors and outdated palettes. We've distilled years of testing into a three-tier system that protects print quality and design intent.

\*Some limitations apply. Consult your MPS acoustics expert to discuss your project.

RECOMMENDED	GUIDED CUSTOM	BESPOKE
<p><b>Signature Series</b> Proven color. Perfect results.</p>	<p><b>Studio Collaboration</b> Your color, guided by our expertise.</p>	<p><b>The Color Lab</b> When your color needs to be one-of-a-kind.</p>

## WOODGRAINS





# ADDITIONAL CURATED COLORS

MPS offers a range of over 50 curated colorways.

## CURATED COLORWAYS

LINEN AVOCADO	GLEEFUL AVOCADO	LILY PAD	BASIL	CACTUS	TAUPE SAND	TURTLE AVOCADO	DRIZZLE	ARTICHOKE MARBLE	PARADISE AVOCADO	ROSEMARY SAGE
ASSURED MARBLE	SILDEN CREAM	CLOUD SAGE	GRAND CANAL KHAKI	HUNT OCEAN	JADE DENIM	DELFT DENIM	STORM DENIM	SKY MARBLE	DEEP GRANITE	STILL EVERGREEN
SLATE IVORY	BLUE MARBLE	MYTHICAL SAGE	PINES IVORY	GROVE IVORY	HAZE GRAPHITE	UNDERSEA GRANITE	GARDEN WINE	ACIER SLATE	RIVER GRAPHITE	ALEXANDRITE EVERGREEN
SAND BISCUIT	COCOA CREAM	STUDIO SAND	BEIGE EARTH	COBBLE BISCUIT	BRANDYWINE KHAKI	ROJO SAND	SANGRIA	FIREWEED KHAKI	AMBER COFFEE	FRENCH MARBLE
ROSE IVORY	PEACH IVORY	GOLD SAND	ROGUE CREAM	ROSE WINE	BURGUNDY WINE	REDBUD OCEAN	PRESSED SAGE	PEPPERCORN GRANITE		



# MOUNTING OPTIONS

## TOOLS REQUIRED



Cutting tool



Steel straightedge




Drill



Screws

## DRY FIT

Before screwing in backer, dry fit the first panel to the wall.



Note: to avoid irregularity, we recommend applying to the top of a baseboard.



# MOUNTING OPTIONS

## MOUNT WITH SCREWS

Screw the backer panel and enhancers to the wall, then attach the Arete slats.

