



DEMI

felt wall






# HOW TO SPECIFY


Demi is where form meets function with its curved, dimensional slats that bring visual rhythm and acoustic control to any space. Designed to make a statement, its bold shape reduces noise and echo while adding a layer of sophistication to your environment.

## 01 SPECS



Tell us about your space, the design, and dimensions.

## 02 ORIENTATION




What slat orientation does your design call for? Demi is offered in vertical and horizontal layouts.

## 03 COLORS



Standard. Woodgrains. Customs. What's your color? (See page 6)

## 04 MAKE IT YOUR OWN!



Spec your own slat size, spacing, and more.

## SHADES by MPS



Even more color options with SHADES by MPS. (See page 6)




# PRODUCT SPECIFICATIONS

## STANDARD DIMENSIONS

Single Panel 23"W x 119"H

Slat Thickness 2" - 4"

- Choose from standard or custom colors
- 100% polyester fiber acoustic panel
- Measurably improves acoustic privacy
- Sound absorption and blocking
- Ambient noise reduction within the room
- Reduced reverberation and echo
- Easily disinfected and cleaned
- Easily installed



\*Customize width using 23" standard panels



# PRODUCT SPECIFICATIONS


## ADDITIONAL OPTIONS

Customize your Demi with specified gap spacing, slat width, slat depth, and more!


## A FEW LIMITATIONS

- Maximum 23" width per panel
- Maximum 4" stand off from wall to front of Demi slats
- Each slat can be up to 6" wide, 2" tall, and as tight as 1"x1"



### STANDARD DEMI



### CUSTOM EXAMPLES



\*Seams for horizontal Demi panels are hidden by a Demi slat.





# TECHNICAL SPECIFICATIONS



## Absorption

Standard: .85 NRC

(subject to mounting conditions)

## Fire Rating

ASTM E84 Class A

## Warranty

Two (2) Years

## VOC

ASTM D5116 Compliant

## Material

PET Felt: 100% polyester fiber,  
60% recycled content

## Maintenance

Vacuum clean to remove dust  
and debris

## Sustainability

**MPS 9mm Acoustic Panels**  
**MPS LLC**

**Final Assembly:** Plano, Texas, USA  
**Life Expectancy:** 50 Year(s)  
**End of Life Options:** Salvageable/Reusable in its Entirety, Take Back Program (Plano, TX), Recyclable (100%)

**Ingredients:**  
Polyethylene Terephthalate

**Living Building Challenge Criteria:** Compliant

**I-13 Red List:**  
 LBC Red List Free      % Disclosed: 100% at 100ppm  
 LBC Red List Approved      VOC Content: Not Applicable  
 Declared

**I-10 Interior Performance:** CDPH Standard Method v1 2-2017  
**I-14 Responsible Sourcing:** Not Applicable

MPS-0001  
EXP. 01 NOV 2026  
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY  
INTERNATIONAL LIVING FUTURE INSTITUTE™ [living-future.org/declare](http://living-future.org/declare)





# COLORS & WOODGRAINS

MPS offers a range of standard ombrés, colors, woodgrains, and custom colors with SHADES.

## STANDARD COLORS



## STANDARD OMBRÉS



**Note:** 1" x 1" Demi slats are available in our Standard Colors only. Ombrés, Woodgrains, and our Curated Colors are available for 2"+ slats.

## SHADES by MPS™

Your design world revolves around color, so don't be limited by standard colors and outdated palettes. We've distilled years of testing into a three-tier system that protects print quality and design intent.

\*Some limitations apply. Consult your MPS acoustics expert to discuss your project.

RECOMMENDED	GUIDED CUSTOM	BESPOKE
<b>Signature Series</b>	<b>Studio Collaboration</b>	<b>The Color Lab</b>
Proven color. Perfect results.	Your color, guided by our expertise.	When your color needs to be one-of-a-kind.

## WOODGRAINS





# ADDITIONAL CURATED COLORS

MPS offers a range of over 50 curated colors.

## CURATED COLORS

LINEN AVOCADO	GLEEFUL AVOCADO	LILY PAD	BASIL	CACTUS	TAUPE SAND	TURTLE AVOCADO	DRIZZLE	ARTICHOKE MARBLE	PARADISE AVOCADO	ROSEMARY SAGE
ASSURED MARBLE	SILDEN CREAM	CLOUD SAGE	GRAND CANAL KHAKI	HUNT OCEAN	JADE DENIM	DELFT DENIM	STORM DENIM	SKY MARBLE	DEEP GRANITE	STILL EVERGREEN
SLATE IVORY	BLUE MARBLE	MYTHICAL SAGE	PINES IVORY	GROVE IVORY	HAZE GRAPHITE	UNDERSEA GRANITE	GARDEN WINE	ACIER SLATE	RIVER GRAPHITE	ALEXANDRITE EVERGREEN
SAND BISCUIT	COCOA CREAM	STUDIO SAND	BEIGE EARTH	COBBLE BISCUIT	BRANDYWINE KHAKI	ROJO SAND	SANGRIA	FIREWEED KHAKI	AMBER COFFEE	FRENCH MARBLE
ROSE IVORY	PEACH IVORY	GOLD SAND	ROGUE CREAM	ROSE WINE	BURGUNDY WINE	REDBUD OCEAN	PRESSED SAGE	PEPPERCORN GRANITE		



# PRODUCT INSTALLATION

## TOOLS REQUIRED



Cutting tool



Steel straightedge




Drill



Screws

## DRY FIT

Before screwing in backer, dry fit the first panel to the wall.



Note: to avoid irregularity, we recommend applying to the top of a baseboard.



# PRODUCT INSTALLATION

## MOUNT WITH SCREWS

Screw the backer panel and enhancers to the wall, then attach the Demi slats.

