



FIN MURAL

felt wall






HOW TO SPECIFY


Fin Mural is your dynamic art canvas. Use our color palette to create custom acoustic artwork. Each slat is a design brush stroke meant to convey a message – what’s yours?

01 SPECS



Tell us about your space, the design, and dimensions.

02 SLAT STYLE



Fin comes in two standard styles. Get it angled or straight.

03 COLORS



Standard. Woodgrains. Customs. What’s your color? (See page 6)

04 MAKE IT YOUR OWN!



Spec your own mural design.

SHADES by MPS™




Even more color options with SHADES by MPS. (See page 6)



PRODUCT SPECIFICATIONS

STANDARD DIMENSIONS

Single Panel 23"W x 119"H
Felt Thickness 2" for straight, 4" for angled



*Customize width using 23" standard panels



PRODUCT SPECIFICATIONS

CONNECTION


Backer panel is screwed to the wall.

Each slat hooks into slots on backer panel.


ADDITIONAL OPTIONS

Configurations: Straight or angled slats.

ACOUSTIC ENHANCERS



SLAT STYLE





TECHNICAL SPECIFICATIONS



Absorption

Standard: .85 NRC

(subject to mounting conditions)

Fire Rating

ASTM E84 Class A

Warranty

Two (2) Years

VOC

ASTM D5116 Compliant

Material

PET Felt: 100% polyester fiber

Maintenance

Vacuum clean to remove dust and debris

Sustainability



MPS 9mm Acoustic Panels
MPS LLC

Final Assembly: Plano, Texas, USA
Life Expectancy: 50 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Plano, TX), Recyclable (100%)

Ingredients:
Polyethylene Terephthalate

Living Building Challenge Criteria: Compliant

I-13 Red List:
 LBC Red List Free % Disclosed: 100% at 100ppm
 LBC Red List Approved VOC Content: Not Applicable
 Declared

I-10 Interior Performance: CDPH Standard Method v1 2-2017
I-14 Responsible Sourcing: Not Applicable

MPS-0001
EXP. 01 NOV 2026
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare





COLORS & WOODGRAINS

MPS offers a range of standard colors, woodgrains, and custom colors with SHADES.

STANDARD COLORS



WOODGRAINS



SHADES by MPS™

Your design world revolves around color, so don't be limited by standard colors and outdated palettes. We've distilled years of testing into a three-tier system that protects print quality and design intent.

*Some limitations apply. Consult your MPS acoustics expert to discuss your project.

<p>RECOMMENDED</p>  <p>Signature Series</p> <p>Proven color. Perfect results.</p>	<p>GUIDED CUSTOM</p>  <p>Studio Collaboration</p> <p>Your color, guided by our expertise.</p>	<p>BESPOKE</p>  <p>The Color Lab</p> <p>When your color needs to be one-of-a-kind.</p>
--	--	---



MOUNTING OPTIONS

TOOLS REQUIRED



Cutting tool



Steel straightedge





Drill



Screws

DRY FIT

Before screwing in backer, dry fit the first panel to the wall.



Note: to avoid irregularity, we recommend applying to the top of a baseboard.



MOUNTING OPTIONS

MOUNTING FIN MURAL

Screw the backer panel and enhancers to the wall, then hook the Fin Mural slats into the slots.

