TAP

ceiling grid tiles

MPS™

HOW TO SPECIFY

With a subtle inward-facing bevel, Tap ceiling tiles create shadow lines and visual contrast that bring dimension and design interest to any dropped ceiling or t-grid. The beveled edge not only enhances appearance, but also supports space-defining lines and soft transitions between tiles for a clean, custom look.

01 SPECS



Tell us about your space, the design, and dimensions.

02 TILE SIZING & MOUNTING



24"x24" or 24"x48" tiles compatible with 9/16" and 15/16" t-grid ceilings.

03 COLORS



Standard. Woodgrains. Customs. What's your color? (See page 5)

04 MAKE IT YOUR OWN!

SHADES by MPS

- Signature Series
- Studio Collaboration
- The Color Lab

Even more color options with SHADES by MPS. (See page 5)

PRODUCT SPECIFICATIONS

STANDARD DIMENSIONS

Single Tile	24″L x 24″W or 24″L x 48″W
Total Depth	4 ⅝"

24" x 24" TILES



24" x 48" TILES



TECHNICAL SPECIFICATIONS

Label

Absorption

Standard: .85 - 1.30 NRC (subject to thickness and mounting conditions)

Fire Rating

ASTM E84 Class A

Warranty

Two (2) Years

VOC

ASTM D5116 Compliant

Material

PET Felt: 100% polyester fiber, 60% recycled content

Maintenance

Vacuum clean to remove dust and debris

Sustainability



Declare.

MPS 9mm Acoustic Panels
MPS LLC

Final Assembly: Plano, Texas, USA
Life Expectancy: 50 Year(s)
End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Plano, TX), Recyclable (100%)

Ingredients:

Polyethylene Terephthalate

Living Building Challenge Criteria: Compliant

I-13 Red List:
■ LBC Red List Free
☐ LBC Red List Approved
☐ Declared

% Disclosed: 100% at 100ppm
VOC Content: Not Applicable

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Not Applicable

MPS-0001
EXP. 01 NOV 2026
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE™ living-future.org/declare

COLORS & WOODGRAINS

MPS offers a range of standard colors, woodgrains, and custom colors with SHADES.

STANDARD COLORS

SNOW | IVORY | SAND | MARBLE | CREAM | BISCUIT | KHAKI | EARTH | COFFEE | WINE | AVOCADO



SAGE | STONE | OCEAN | DENIM | GRANITE | SLATE | GRAPHITE | EVERGREEN | MIDNIGHT | ONYX

WOODGRAINS

PLYWOOD | PLANCHE OAK | AGED ASH | ITALIAN WALNUT

HONEY | ASH | WEATHERED TEAK | WARM ASH

MAIN STREET ELM | VISTA WALNUT | DARK WALNUT

SHADES by MPS™

Your design world revolves around color, so don't be limited by standard colors and outdated palettes. We've distilled years of testing into a three-tier system that protects print quality and design intent.

*Some limitations apply. Consult your MPS acoustics expert to discuss your project.

RECOMMENDED

Signature Series

Proven color. Perfect results.

GUIDED CUSTOM

Studio Collaboration

Your color, guided by our expertise.

BESPOKE

The Color Lab

When your color needs to be one-of-a-kind.

ADDITIONAL CURATED COLORS

MPS offers a range of over 50 curated colorways.

CURATED COLORWAYS

LINEN AVOCADO
GLEEFUL AVOCADO
LILY PAD
BASIL
CACTUS
TAUPE SAND
TURTLE AVOCADO
DRIZZLE
ARTICHOKE MARBLE
PARADISE AVOCADO
ROSEMARY SAGE

ASSURED MARBLE
SILDEN CREAM
CLOUD SAGE
GRAND CANAL KHAKI
HUNT OCEAN
JADE DENIM
DELFT DENIM
STORM DENIM
SKY MARBLE
DEEP GRANITE
STILL EVERGREEN

SLATE IVORY
BLUE MARBLE
MYTHICAL SAGE
PINES IVORY
GROVE IVORY
HAZE GRAPHITE
UNDERSEA GRANITE
GARDEN WINE
ACIER SLATE
RIVER GRAPHITE
ALEXANDRITE EVERGREEN

SAND BISCUIT
COCOA CREAM
STUDIO SAND
BEIGE EARTH
COBBLE BISCUIT
BRANDYWINE KHAKI
ROJO SAND
SANGRIA
FIREWEED KHAKI
AMBER COFFEE
FRENCH MARBLE

ROSE IVORY
PEACH IVORY
GOLD SAND
ROGUE CREAM
ROSE WINE
BURGUNDY WINE
REDBUD OCEAN
PRESSED SAGE
PEPPERCORN GRANITE

MOUNTING OPTIONS

DROP-IN TILES ON T-GRID

Each Tap tile nests in from above, and the minimal perimeter lip sits on the t-grid to securely hold the tiles in place.

Compatible with 9/16" and 15/16" t-grid ceilings.
Note: The t-grid is visible with this application.



MOUNTING OPTIONS

MAGNETS ON T-GRID

Screw-in magnets on the perimeter strips and connect the Tap tile to the ceiling t-grid.

Compatible with 9/16" and 15/16" t-grid ceilings.
Note: The t-grid is NOT visible with this application.